

CLAAS



JAGUAR 980-950
JAGUAR 900-830

**Anbau- und
Betriebsanleitung**
TELE CAM

**Fitting and
Operating
Instructions**
TELE CAM

**Notice de montage
et d'utilisation**
TELE CAM

SERVICE & PARTS


CLICK HERE TO **DOWNLOAD** THE COMPLETE MANUAL

- Thank you very much for reading the preview of the manual.
- You can download the complete manual from: www.heydownloads.com by clicking the link below



- Please note: If there is no response to CLICKING the link, please download this PDF first and then click on it.

CLICK HERE TO **DOWNLOAD** THE COMPLETE MANUAL



25152

2

Nachrüstsatz 000 147 782 1

Pos.-Nr.	Bezeichnung	Abmessungen	Norm ISO/DIN	Anzahl
20	Antenne			1
21	Empfänger			1
22	Adapter Kabel			1
23	Monitor			1
24	Monitorfuß			1
25	Sonnenblende			1

Different product groups have different document structures based on subassemblies. CLAAS always takes care to keep these document structures based on subassemblies identical in any documents.

Search and find


The wanted subject can easily be found with the recurring subassembly structure, using the table of contents or the header line of this manual.

In addition, the index of this manual is a useful tool for locating a specific subject. The index can be found on the last pages of this manual.

Directions

Text elements such as front, rear, right and left always apply to the direction of travel. In figures, the direction of travel may be indicated by a direction arrow.

Your CLAAS Service Department




JAGUAR Type 494

25458

9

- Fold up the switch console.
- Remove the cover from the central terminal compartment.
- Remove covering (V).
- Loosen board (P) and fold it up.




JAGUAR Type 494

25313

10


- Connect wiring loom (8) beneath the board to socket RS1.
- Connect wiring loom (8) to cable of switch box (17).



25550

11

- Unscrew plate (B) at (A).
- Remove plug (S).
- Slide cable (5) through the opening into the central terminal compartment.
- Seal the opening around the cable.
- Refit plate (B).



25460

12

Jeu de montage ultérieur 000 147 783 1				
N° Pos.	Désignation	Dimensions	Norme ISO/DIN	Nombre
8	Jeu de câbles pour le moniteur			1
9 **	Support	2,5 x 160 x 203		1
10 * / ** / ***	Vis six pans	M 6 x 16	933-8.8	2
	Rondelle de contact	A 6		2
11 **	Support			1
12 * / ** / ***	Vis six pans	M 5 x 12	934-8	2
	Rondelle	5,3		2
	Rondelle élastique	5		2
	Ecrou six pans	M 5		2
13	Pare-soleil			1
14	Moniteur			1
15	Caniveau à câbles			1
16	Pied du moniteur			1
17	Boîtier de commande			1
18 * / ***	Support de la caméra			1
19 * / ***	Vis six pans	M 8 x 20	933-8.8	4
	Rondelle de contact	A 8		4
	Ecrou six pans	M 8	934-8	4
<p>* non représenté(e)</p> <p>** type 492/493 uniquement (doit être commandé séparément)</p> <p>*** JAGUAR éléments de fixation n'est pas compris dans la livraison.</p>				

CLICK HERE TO **DOWNLOAD** THE COMPLETE MANUAL

- Thank you very much for reading the preview of the manual.
- You can download the complete manual from: www.heydownloads.com by clicking the link below



- Please note: If there is no response to CLICKING the link, please download this PDF first and then click on it.

CLICK HERE TO **DOWNLOAD** THE COMPLETE MANUAL