Agrolux 75

V0 - BALLAST, TOWING HITCHES

FRONT HITCHES

FRONT TOWING HITCH..... V0.01.0 (1)

REAR HITCHES

REAR GEARBOX BRACKETS..... V0.02.0 (1)
REAR TOWING HITCH BRACKET..... V0.02.2 (1)
REAR TOWING HITCH..... V0.02.3 (1)
REAR TOWING HITCH cat. 2 - CEE..... V0.02.7 (1)
REAR TOWING HITCH CUNA - cat. C..... V0.02.8 (1)
REAR TOWING HITCH CUNA - cat. D2..... V0.02.9 (1)
REAR TOWING HITCH CAT. 2 - Ø 31..... V0.02.10 (1)
REAR TOWING HITCH CAT. 2 - Ø 38..... V0.02.11 (1)
REAR OSCILLATING HITCH..... V0.02.12 (1)

FRONT BALLAST WEIGHTS

FRONT WEIGHT CARRIER..... V0.03.0 (1)
FRONT BALLAST..... V0.03.1 (1)
FRONT BALLAST..... V0.03.2 (1)
FRONT BALLAST..... V0.03.3 (1)

WHEEL BALLAST

WHEEL BALLAST 172 Kg..... V0.05.2 (1)
WHEEL BALLAST 344 Kg..... V0.05.3 (1)

CLICK HERE TO DOWNLOAD THE COMPLETE MANUAL

- Thank you very much for reading the preview of the manual.
- You can download the complete manual from: www.heydownloads.com by clicking the link below



- Please note: If there is no response to CLICKING the link, please download this PDF first and then click on it.

CLICK HERE TO DOWNLOAD THE COMPLETE MANUAL

Section: V0 - BALLAST, TOWING HITCHES Ref.: V0.02.12 (1)

REAR OSCILLATING HITCH





Fig.	Code	QTY	Name
Notes: [Agrolux 75 2WD] [Agrolux 75 4WD]			
1	0.016.6503.2	1	support (-> 1063) A = mm 25
3	0.009.8943.0	1	pin
4	2.1699.072.2	1	pin
7	0.014.8007.2	1	sector
8	2.0432.411.7	6	stud bolt m 16 p.2-1.5x40
9	2.1475.006.2	10	washer 16
10	0.97303.24.3	2	pin
12	2.1011.409.2	16	nut m 16 p.1.5
19	2.0433.417.7	4	stud bolt m 16 p.2.00 - 1.50 x 60 (-> 1063)
20	2.9939.051.0	1	plate
25.1	0.012.4558.0/60	1	draw bar mm 1023
25.2	0.015.2492.3	1	plate
25.3	0.014.9401.3	1	pin
25.4	2.0122.822.2	2	screw m 20 p.1.5x65
25.5	2.1475.108.2	2	spring washer 20

2-WAY REMOTE CONTROL VALVE..... G0.18.0 (1)
4 WAY SPOOL VALVES CONTROL..... G0.18.1 (1)
4 WAY SPOOL VALVES CONTROL..... G0.18.2 (1)
6 WAY SPOOL VALVES CONTROL..... G0.18.3 (1)
DISTRIBUTOR CONTROL..... 0.013.1989.4.A
ACCESSORIES
TOOLBOX SUPPORT..... G0.19.0 (1)
TOOLBOX SUPPORT..... G0.19.1 (1)
LICENCE PLATE HOLDER..... G0.19.2 (1)
METAL TOOLBOX..... G0.19.3 (1)
METAL TOOLBOX..... G0.19.4 (1)
METAL TOOLBOX..... G0.19.5 (1)
METAL TOOLBOX..... G0.19.5 (2)
CHOCK..... G0.19.6 (1)
SAFETY ROLL BAR
SAFETY ARCH FOLDING..... G0.20.0 (1)

Section: G0 - BODYWORK - CAB Ref.: G0.01.10 (1)

HOOD INSULATION PANEL


Fig.	Code	QTY	Name
Notes: [Agrolux 75 2WD] [Agrolux 75 4WD]			
1	0.016.0461.0	1	panel



I9_J1272_30_0-A-001

Section: G0 - BODYWORK - CAB Ref.: G0.01.23 (1)

HEADLIGHT SUPPORTS



I9_J1285_12_0-A-001

Fig.	Code	QTY	Name

Notes:
[Agrolux 75 2WD] [Agrolux 75 4WD]

1	0.015.4760.2	2	support
2	2.0119.218.2	2	screw m 8x145
3	2.1470.004.2	4	washer 8
4	2.1310.004.2	8	flat washer 8.5
5	2.1011.105.2	2	nut m 8 p.1.25
6	2.0112.207.2	4	screw m 8 p 1.25 x 20

Section: G0 - BODYWORK - CAB Ref.: G0.02.13 (1)

GEAR LEVER KNOB CAP

I9_72364_01_0-C-001




Fig.	Code	QTY	Name
Notes:			
- FOR MODELS WITH 2 RANGES [Agrolux 75 2WD]		- FOR MODELS WITH 2 RANGES [Agrolux 75 4WD]	
1	0.010.1671.0/30	1	cap

Section: G0 - BODYWORK - CAB Ref.: G0.02.22 (1)


DIFFERENTIAL LOCK IDENTIFICATION PLATE

Fig.	Code	QTY	Name

Notes:
- FOR MODELS WITH 2 RANGES [Agrolux 75 2WD] - FOR MODELS WITH 2 RANGES [Agrolux 75 4WD]

24	2.1855.010.0	2	rivet 3.4
25	2.9929.573.0	1	plate


I9_J1376_04_0-B-001



Section: G0 - BODYWORK - CAB Ref.: G0.02.31 (1)

WATER COOLER IDENTIFICATION PLATE


Fig.	Code	QTY	Name
Notes: [Agrolux 75 2WD] [Agrolux 75 4WD]			
1	2.9939.329.0	1	plate



I9_J1374_29_0-A-001

4WD - FRONT MUDGUARDS

Fig.	Code	QTY	Name
36.6	2.1475.004.2	2	washer 12



Section: G0 - BODYWORK - CAB Ref.: G0.04.22 (1)

FOOT PLATES AND PLATFORM




Fig.	Code	QTY	Name

Notes:
- FOR MODELS WITH 2 RANGES [Agrolux 75 2WD]
- FOR MODELS WITH 2 RANGES [Agrolux 75 4WD]

1	0.014.6050.3/90	1	foot board
2	0.015.5671.2/10	1	guard dx/rh/re
3	0.015.5670.2/10	1	guard sx/lh/li
4	0.015.5668.3/10	1	foot board sx/lh/li
5	0.015.5669.3/20	1	foot board dx/rh/re
7	0.015.5666.2/20	1	chassis frame sx/lh/li
8	0.015.5667.2/30	1	chassis frame dx/rh/re
9	0.157.7693.0	3	rubber plug
10	2.0020.205.2	9	screw m 8 p.1.25 x 20
11	2.0112.005.2	9	screw m 6 p.1 x 16
13	2.0112.211.2	3	screw m 8 p.1.25 x 30
14	2.0112.409.2	2	screw m 12 p.1.75 x 25
15	2.0112.411.2	4	screw m 12 p.1.75 x 30
16	2.1011.105.2	14	nut m 8 p.1.25
17	2.1310.002.2	10	washer 6.6, d125
18	2.1310.004.2	16	flat washer 8.5
19	2.1470.002.2	9	washer 6, d128
20	2.1470.004.2	12	washer 8
21	2.1470.007.2	6	lock washer 12
22	2.1579.120.2	3	spacer 8.8x12x9.5
23	2.1599.245.0	3	snoulder 8.5 x 32 x 2.0
26	2.1011.103.2	1	nut m 6 p.1
27	2.0112.207.2	2	screw m 8 p 1.25 x 20

Section: G0 - BODYWORK - CAB Ref.: G0.07.2 (1)

REARVIEW MIRROR





Fig.	Code	QTY	Name
Notes:			
- FOR LEFT-HAND DRIVE [Agrolux 75 2WD] - FOR LEFT-HAND DRIVE [Agrolux 75 4WD]			
1	0.010.1604.4/40	1	rear view mirror sx/lh/li ☞ 0.010.1604.4/40
3	0.015.5726.0	2	u bolt
4	0.163.7856.0	4	cap
5	2.1071.004.2	4	special nut
6	2.1310.004.2	4	flat washer 8.5

Section: G0 - BODYWORK - CAB

Ref.: 0.012.4782.4/20.A

SEAT-COMPONENTS



0_012_4782_4_20

Fig.	Code	QTY	Name
1	0.012.4782.4/20	1	seat
2	0.900.0461.2	1	safety belt
3	0.000.0000.1	1	not serviceable

Section: G0 - BODYWORK - CAB Ref.: G0.13.2 (1)

STEERING COLUMN

I9_J1263_00_0-A-001




Fig.	Code	QTY	Name
Notes:			
[Agrolux 75 2WD] [Agrolux 75 4WD]			
1	0.012.1007.4/10	1	steering column (1068 <-)
1	0.012.1007.4/20	1	steering column (-> 1063)
3	0.012.1006.3/40	1	support
4	2.0112.309.2	4	screw m 10 p.1.5 x 25
5	2.1470.006.2	4	lock washer 10
6	2.0112.409.2	4	screw m 12 p.1.75 x 25
7	2.1470.007.2	4	lock washer 12
36	0.016.7181.0	0.5	shim 1 mm
37	0.016.7182.0	0.5	shim 0.7 mm
38	0.016.7183.0	0.5	shim 0.5 mm
39	0.016.7184.0	0.5	shim 0.3 mm

Section: G0 - BODYWORK - CAB Ref.: G0.16.1 (1)

P.T.O. SHAFT DRIVE




Fig.	Code	QTY	Name

Notes:
- 540 [Agrolux 75 2WD] - 540 [Agrolux 75 4WD]

1	0.012.8117.2/10	1	sector
4	2.0112.207.2	2	screw m 8 p 1.25 x 20
5	2.1470.004.2	2	washer 8
6	0.008.8383.0	1	coupling
7	0.008.8388.0	1	knob
8	0.012.8274.3/10	1	lever
9	2.1630.410.0	1	roll pin 4 x 20
13	0.010.1888.3/10	1	lever
14	0.012.7767.2	1	stay
15	2.1310.004.2	3	flat washer 8.5
16	2.1690.106.2	1	split pin 1.6x16
17	2.1011.105.2	1	nut m 8 p.1.25
18	2.3510.014.2	1	fork
22	2.1699.443.2	1	pin
23	2.1430.008.2	1	circlip 7

Section: G0 - BODYWORK - CAB Ref.: G0.19.0 (1)

TOOLBOX SUPPORT




Fig.	Code	QTY	Name
Notes: - FOR TYPES WITHOUT REAR CONTROL VALVE [Agrolux 75 2WD] - FOR TYPES WITHOUT REAR CONTROL VALVE [Agrolux 75 4WD]			
1	0.015.8236.3	1	support
2	0.015.8235.3	1	bracket
3	2.0342.303.6	1	screw m 8 p. 1.25x16
4	2.0112.309.2	2	screw m 10 p.1.5 x 25
5	2.1310.006.2	2	flat washer 10.5
6	2.0112.208.2	1	screw m 8 p.1.25 x 22
7	2.1580.001.0	2	shim 8.5x16x0.5

PRESSURE SWITCH FOR AIR CLEANER CLOGGED WARNING LIGHT..... L0.04.9 (1)
START ENABLE SWITCH..... L0.04.11 (1)
START ENABLE SWITCH..... L0.04.12 (1)
PRESSURE SWITCH FOR BRAKE LIGHTS..... L0.04.13 (1)
FISSAGGIO PROTEZIONE PRESSOSTATO PER LUCI STOP..... L0.04.13 (2)
PRESSURE SWITCH FOR BRAKE LIGHTS..... L0.04.14 (1)
OIL FILTER CLOGGING SENSOR..... L0.04.15 (1)
PTO CLUTCH SENSOR..... L0.04.16 (1)
PTO CONTROL SWITCH..... L0.04.17 (1)
PTO CONTROL SWITCH..... L0.04.18 (1)
HAND BRAKE SWITCHES..... L0.04.19 (1)
INSTRUMENT PANEL
DASHBOARD BOX INSTRUMENT PANEL..... L0.05.0 (1)
ELECTRICAL CONTROLS - PUSHBUTTONS
ELECTRICAL CONTROLS..... L0.07.0 (1)
ELECTRICAL CONTROLS..... L0.07.1 (1)
SWITCH - WORKING SPOTLIGHT FRONT..... L0.07.3 (1)
IGNITION BLOCK..... 2.7659.147.0/10.A
LIGHTING AND SIGNALLING
HEADLIGHTS \ HORN..... L0.08.2 (1)
HEADLIGHTS \ HORN..... L0.08.3 (1)
SIDE LIGHTS ON ROLL BAR..... L0.08.4 (1)
SIDE LIGHTS ON ROLL BAR..... L0.08.5 (1)
WORKING SPOTLIGHT FRONT..... L0.08.6 (1)
WARNING BEACON..... L0.08.8 (1)
LICENCE PLATE LIGHT..... L0.08.9 (1)
REAR WORKLIGHT..... L0.08.10 (1)
REAR WORKLIGHT..... L0.08.11 (1)
RETROREFLECTOR..... L0.08.12 (1)
TOP REFLECTORS..... L0.08.13 (1)
REAR REFLECTORS..... L0.08.14 (1)
RETROREFLECTOR..... L0.08.15 (1)
HEADLAMP COMPONENTS - DX/RH/RE..... 2.8039.012.0.A
HEADLAMP COMPONENTS - SX/LH/LI..... 2.8039.013.0.A
HEADLAMP COMPONENTS..... 2.8039.160.0.A
FRONT LIGHTS..... 2.8039.240.0.A
FRONT LIGHTS..... 2.8039.250.0.A
HEADLAMP COMPONENTS..... 2.8059.026.0.A
HEADLAMP COMPONENTS..... 2.8059.027.0.A
LICENCE PLATE LIGHT..... 2.8059.526.0.A

Section: L0 - ELECTRIC AL SYSTEM Ref.: L0.02.2 (1)

HEADLIGHTS / HORN WIRING




Fig.	Code	QTY	Name
Notes:			
- FOR RIGHT-HAND DRIVE [Agrolux 75 2WD]		- FOR RIGHT-HAND DRIVE [Agrolux 75 4WD]	
4	0.015.3651.4	1	electrical system
6	2.6852.203.0	14	clamp 292 x 4.8

Section: L0 - ELECTRIC AL SYSTEM Ref.: L0.02.11 (1)

PREARRANGEMENT FOR WARNING BEACON




Fig.	Code	QTY	Name
Notes:			
- FOR LEFT-HAND DRIVE [Agrolux 75 2WD] - FOR LEFT-HAND DRIVE [Agrolux 75 4WD]			
2	0.015.4786.2/10	1	bracket
7	2.4019.611.2	1	spring
8	2.1310.006.2	2	flat washer 10.5
9	2.1120.006.2	1	nut m 10 p.1.5
10	2.1651.312.2	1	pin 4x28
11	0.014.0492.2/10	1	support
12	0.011.7840.4	1	wire ☞ 0.011.7840.4
13	2.6852.203.0	3	clamp 292 x 4.8

Section: L0 - ELECTRIC AL SYSTEM Ref.: L0.03.1 (1)

PREHEATING CONTROL UNIT

I9_R9484_00_0-B-001





Fig.	Code	QTY	Name
Notes: - EXPORT U.S.A. [Agrolux 75 2WD] - EXPORT U.S.A. [Agrolux 75 4WD]			
26	2.8519.071.0/30	1	central device (-> 1063)

Section: L0 - ELECTRIC AL SYSTEM Ref.: L0.04.12 (1)

START ENABLE SWITCH

Fig.	Code	QTY	Name
Notes: - FOR MODELS WITH 3 RANGES [Agrolux 75 2WD] -> 1003 - FOR MODELS WITH 3 RANGES [Agrolux 75 4WD] -> 1003			
45	2.7659.144.0	1	switch
46	2.1569.238.0	0.25	'o' ring 18.9 x 24 x 1
47	2.1569.239.0	0.5	'o' ring 18.9 x 24 x 1.5
48	2.1569.240.0	0.25	'o' ring 18.9 x 24 x 2



I9_J1264_00_0-D-001

Section: L0 - ELECTRIC AL SYSTEM Ref.: L0.07.0 (1)

ELECTRICAL CONTROLS




Fig.	Code	QTY	Name
Notes: [Agrolux 75 2WD] [Agrolux 75 4WD]			
4	2.7659.196.0	1	switch
5	2.7659.200.0	1	button
6	2.7659.282.0	1	push-button
7	2.7659.199.0/10	1	switch
8	2.7659.249.0	1	switch
15	2.7659.147.0/10	1	switch ☞ 2.7659.147.0/10

Section: L0 - ELECTRIC AL SYSTEM Ref.: L0.08.9 (1)

LICENCE PLATE LIGHT





Fig.	Code	QTY	Name
Notes: [Agrolux 75 2WD] [Agrolux 75 4WD]			
5	2.8059.526.0	1	side lamp ☞ 2.8059.526.0
6	2.1310.028.2	2	flat washer 4
7	2.0350.255.3	2	screw m 3.5 x 16 -AB-

Section: L0 - ELECTRIC AL SYSTEM Ref.: 2.8039.240.0.A

FRONT LIGHTS



2_8039_240_0

Fig.	Code	QTY	Name
1	2.8039.240.0	1	headlight
2	0.010.2251.0	1	lamp 60/55W - HALOGEN -

Section: B0 - ENGINE Ref.: B0.01.2 (1)

CRANKCASE




Fig.	Code	QTY	Name

Notes:
PER MOTORI PRODOTTI IN : RANIPET - INDIA [Agrolux 75 2WD] -> 1010 PER MOTORI PRODOTTI IN : RANIPET - INDIA [Agrolux 75 4WD] -> 1010

3	2.3199.312.2/20	1	plug m 35x1.5x9.5
5	2.0439.279.7	6	stud bolt m 8 p.1 x 25
6	2.1559.188.2	3	sleeve 11.4 x 14 x16
7	2.1539.259.0	6	'o' ring 107.62x2.62
8	2.1560.010.0	1	gasket 14.2 x 20 x 1.5
9	2.3199.292.0	1	plug 1/4" gas
10	0.014.9911.4/30	1	crankcase
10.1	2.3130.001.1	12	plug 1/8" gas
10.2	2.3130.002.1	4	plug 1/4" gas
10.3	2.3130.003.1	2	plug 3/8" gas
10.4.1.1	0.065.1112.0	1	support
10.4.1.2	2.1699.165.0	1	sleeve 12.3x15x16
10.4.2	0.065.1114.0/10	2	support
10.4.3.1	0.065.1116.0	1	support
10.4.3.2	2.1699.165.0	1	sleeve 12.3x15x16
10.4.8	0.065.1117.0	8	screw m 12 x 100
10.5	2.3179.012.0	1	plug 60
10.6	0.065.1140.0	3	bushing 59X55X20
10.7	0.065.1141.0	1	bushing 59X55X30
10.8	0.014.1340.0/10	1	pin
11	0.066.1152.0/10	4	gasket
14	2.1549.154.2	3	sleeve 4.8x5.8x16
20	2.1470.004.2	4	washer 8
24	2.3120.101.0	1	plug m 18 p.1.5
25	0.013.4946.0/10	1	cooling nozze
26	2.1560.014.0	1	gasket 18.2 x 24 x 1.5

Section: B0 - ENGINE Ref.: B0.04.1 (1)

CAMSHAFT




Fig.	Code	QTY	Name
Notes: PER MOTORI PRODOTTI IN : TREVIGLIO ITALY [Agrolux 75 2WD] PER MOTORI PRODOTTI IN : TREVIGLIO ITALY [Agrolux 75 4WD]			
1	0.065.1331.2	6	rod
2	0.014.4011.3	1	camshaft
2.2	0.065.1324.0/10	1	gear Z = 32
3	0.065.1330.0	6	tappets
4	2.1559.398.0	1	bushing 10.5x13x12
5	0.013.5017.0	1	gear z=58
6	0.065.1350.0	1	small disc
7	2.0132.207.2	4	screw m 10 p.1 x 25
8	2.1410.016.1	1	circlip 40
9	0.065.1352.0	1	shim
10	0.018.2233.0	2	snoulder
12	0.007.1177.3/20	1	gear z = 57 - WITH RED IDENTIFICATION STAMP
12.2	2.1559.185.0/10	1	bushing
13	0.007.1178.3/20	1	gear z = 57 - WITH YELLOW IDENTIFICATION STAMP
13.2	2.1559.185.0/10	1	bushing
14	0.007.1179.3/20	1	gear z = 57 - WITH GREEN IDENTIFICATION STAMP
14.2	2.1559.185.0/10	1	bushing
15	2.0312.205.2	2	screw m 8 p.1.25 x 18
16	2.1480.014.1	2	washer 8
17	0.065.1353.0	1	small plate

Section: B0 - ENGINE Ref.: B0.06.0 (1)

ENGINE OIL PAN




Fig.	Code	QTY	Name


Notes:
PER MOTORI PRODOTTI IN : TREVIGLIO ITALY [Agrolux 75 2WD] PER MOTORI PRODOTTI IN : TREVIGLIO ITALY [Agrolux 75 4WD]

18	0.007.0614.0/10	1	gasket
19	0.007.1422.0/50	1	oil pan
20	2.1560.054.0	1	gasket 21 x 26
21	2.3199.001.2	1	plug 1/2" gas
22	2.1470.004.2	22	washer 8
24	2.0112.226.2	7	screw m 8 p.1.25 x 85
25	2.0112.215.2	13	screw m 8 p.1.25 x 40
26	2.0112.411.2	4	screw m 12 p.1.75 x 30
27	2.1470.007.2	4	lock washer 12
28	2.0112.239.2	2	screw m 8 p.1.25 x 150
29	2.0112.722.2	4	screw m 18 p.2.5 x 65
30	2.1475.007.7	4	washer 18
31	0.008.8586.0/10	4	shim mm 0.20
32	0.008.8587.0/10	8	shim mm 0.50

Section: B0 - ENGINE Ref.: B0.06.16 (1)

ENGINE OIL FILTER

Fig.	Code	QTY	Name
Notes: PER MOTORI PRODOTTI IN : RANIPET - INDIA [Agrolux 75 2WD] 1040 <- PER MOTORI PRODOTTI IN : RANIPET - INDIA [Agrolux 75 4WD] 1040 <-			
1	0.044.1567.0/10	1	oil filter element R 380



I9_N8915_04_0-A-001

Section: B0 - ENGINE Ref.: B0.08.1 (1)

MECHANICAL ENGINE GOVERNOR




Fig.	Code	QTY	Name
Notes: PER MOTORI PRODOTTI IN : RANIPET - INDIA [Agrolux 75 2WD] [Agrolux 75 4WD]			PER MOTORI PRODOTTI IN : RANIPET - INDIA
1	0.013.5063.4/20	1	regulator ☞ 0.013.5063.4/20 ☞ 0.013.5063.4/20 ☞ 0.013.5063.4/20
76	2.1480.014.1	2	washer 8
77	2.0399.103.2	2	screw m 8 p 1.25 x 135
78	0.009.3880.0/20	1	gasket
100	0.007.0764.3	1	tube
101	2.3332.002.1	2	pipe union m 10 p.1.25
102	2.1560.005.0	4	gasket 10.2 x 14
105	0.070.1655.0	1	cap

CLICK HERE TO DOWNLOAD THE COMPLETE MANUAL

- Thank you very much for reading the preview of the manual.
- You can download the complete manual from: www.heydownloads.com by clicking the link below



- Please note: If there is no response to CLICKING the link, please download this PDF first and then click on it.

CLICK HERE TO DOWNLOAD THE COMPLETE MANUAL

Section: B0 - ENGINE Ref.: B0.09.3 (1)

HEAT EXCHANGER





Fig.	Code	QTY	Name
Notes: PER MOTORI PRODOTTI IN : TREVIGLIO ITALY [Agrolux 75 2WD] PER MOTORI PRODOTTI IN : TREVIGLIO ITALY [Agrolux 75 4WD]			
1	0.007.0172.0	1	oil cooler ☞ 0.007.0172.0
2	2.3339.550.2	1	pipe fitting m 20 p.1.5 / m 22 p.1.5
3	2.3339.549.2	1	pipe fitting m 20 p.1.5

Section: B0 - ENGINE

Ref.: 0.007.0172.0.A

LUBRIC. OIL COOLER

Fig.	Code	QTY	Name
1	0.007.0172.0	1	oil cooler
2	0.010.2209.0	1	gasket



007_0172_0

Section: C0 - ENGINE ACCESSORIES Ref.: C0.01.1 (2)

WATER COOLER




Fig.	Code	QTY	Name

Notes:
[Agrolux 75 2WD] -> 1041 [Agrolux 75 4WD] -> 1041

1	0.014.6172.2	1	water cooler ☞ 0.014.6172.2
2	0.016.6973.0/20	1	duct
3	0.015.9128.0	1	tube
4	0.010.4544.0	1	sleeve
5	2.6859.132.2	2	clamp
6	2.6851.005.0	2	clamp Ø 40/60
7	0.017.8866.3	1	rod
8	0.017.7887.0/10	1	cup
9	0.261.8363.0/10	1	plug
10	0.016.7002.0	1	tube
11	2.6859.083.2	2	clamp
12	2.1470.004.2	3	washer 8
13	0.016.4994.0/10	4	bracket
14	2.1310.004.2	9	flat washer 8.5
15	0.015.3314.0	0.16	gasket
16	0.015.3314.0	0.04	gasket
17	2.1312.003.2	15	washer 6
18	2.0112.005.2	7	screw m 6 p.1 x 16
19	0.016.7024.0	1	gasket
20	2.1470.002.2	9	washer 6, d128
21	2.0312.104.2	2	screw m 6 p.1 x 16
22	2.1310.006.2	2	flat washer 10.5
24	0.016.7058.0	1	gasket
25	2.1011.103.2	3	nut m 6 p.1
26	0.136.7385.0	2	rubber plug
27	0.136.7384.0	2	cup
28	0.136.7387.0	2	rubber plug 15x27x5
29	0.010.0437.0	2	support
30	2.0112.311.2	2	screw m 10 p.1.5 x 30
31	2.0112.307.2	4	screw m 10 p.1.5 x 20
32	2.1470.006.2	4	lock washer 10
42	2.0112.007.2	1	screw m 6 p.1 x 20
43	2.1549.051.2	1	spacer 7x12x7.5
44	0.035.8459.0	6	rubber plug
46	2.0112.015.2	1	screw m 6 p.1x40
47	2.1569.237.0	1	gasket
48	0.015.3324.0	1	pin
49	0.011.0070.0	1	pin
51	2.0112.207.2	3	screw m 8 p 1.25 x 20
52	0.016.7021.0	0.11	gasket

Section: C0 - ENGINE ACCESSORIES Ref.: C0.03.0 (2)

FUEL TANK




Fig.	Code	QTY	Name


Notes:
[Agrolux 75 2WD] 1040 <- [Agrolux 75 4WD] 1040 <-

1.1	0.015.2941.3/30	1	fueltank
1.5	0.015.6015.0	1	plug
1.6	0.015.3323.0	1	plug
1.7	2.1530.062.0	1	'o' ring 23.81 x 2.62
2	0.015.5820.0	1	small plate
3	0.015.5821.0	2	small plate
4	2.0112.003.2	11	screw m 6 p.1 x 12
5	2.1310.002.2	8	washer 6.6, d125
6	0.015.5478.0	1	spacer
7	2.6839.068.0	3	clamp Ø 27
8	0.015.5639.0	1	bracket
9	0.012.7959.0	1	flexible hose mm 680
10	0.010.5444.0	1	sleeve mm 1400
11	2.6851.019.0	2	clamp Ø 13/20
12	0.012.0524.2	1	tube
13	2.1560.009.0	1	gasket 14.2x18
14	2.3339.357.2/10	1	pipe union m 14 p.1.5x28
15	2.7059.930.0/10	1	level indicator
16	2.1011.101.2	6	nut m 4 p.0.7
17	2.1310.028.2	6	flat washer 4
18	0.016.2277.2	1	filter

Section: C0 - ENGINE ACCESSORIES Ref.: C0.03.10 (1)

FUEL PIPES

Fig.	Code	QTY	Name
Notes: PER MOTORI PRODOTTI IN : RANIPET - INDIA [Agrolux 75 2WD] PER MOTORI PRODOTTI IN : RANIPET - INDIA [Agrolux 75 4WD]			
1	0.015.7411.3	1	tube
2	0.016.3285.3	1	tube



Section: C0 - ENGINE ACCESSORIES Ref.: C0.06.0 (1)

EXHAUST SILENCER




Fig.	Code	QTY	Name

Notes:
[Agrolux 75 2WD] [Agrolux 75 4WD]

1	0.016.7060.2	1	exhaust silencer
2	0.014.0131.0/10	1	clamp
3	2.0112.325.2	1	screw m 10 p.1.5 x 80
4	2.1310.006.2	2	flat washer 10.5
5	2.1470.006.2	1	lock washer 10
6	2.1011.106.2	1	nut m 10 p.1.5
7	0.016.2555.0	1	gasket
8	2.0432.007.7	3	stud bolt m 8 p.1.25 / p.1 x 30
9	2.1474.009.2	3	spring washer 8
10	2.1019.033.0	3	special nut m 8 p.1 x 8
11	0.016.2557.2	1	shield
12	2.1310.004.2	4	flat washer 8.5
13	2.1011.405.2	2	nut m 8 p.1
14	2.0112.207.2	2	screw m 8 p 1.25 x 20

Section: F0 - FRONT AXLE Ref.: F0.01.0 (1)

FRONT SUPPORT





Fig.	Code	QTY	Name
Notes: [Agrolux 75 2WD] [Agrolux 75 4WD]			
1	0.015.2952.0/20	1	front support
2	2.1699.035.0	2	cylindrical plug 14 x 35
3	2.0112.721.2	4	screw m 18 p.2.5x60
4	2.1475.007.7	10	washer 18
5	2.0112.720.2	4	screw m 18 p.2.5 x 55
6	2.0432.419.7	2	stud bolt m 16 p.2-1.5x70
7	2.1559.030.0	2	bushing 16.5x22x35
8	2.1474.013.2	2	washer 16
9	2.1011.309.2	2	nut m 16 p.1.5
10	2.0432.518.7	2	stud bolt m 18 p.2.5-1.5x65
11	2.1559.010.0	2	bushing 18.5x24x35
12	2.1011.310.2	2	nut m 18 p.1.5

Section: F0 - FRONT AXLE Ref.: F0.03.2 (1)

BLEED SCREW

Fig.	Code	QTY	Name
Notes: [Agrolux 75 4WD]			
1	0.135.4363.3/10	3	valve



Section: F0 - FRONT AXLE Ref.: F0.04.5 (1)

4WD - PROPELLER SHAFT - GUARDS

I9_D1026_10_0-A-001




Fig.	Code	QTY	Name
Notes: [Agrolux 75 4WD]			
2	0.014.1799.3	1	guard
6	2.1549.139.2	2	spacer 8.5x20x5
7	2.0112.407.2	2	screw m 12 p.1.75 x 20
8	2.0112.207.2	4	screw m 8 p 1.25 x 20
9	2.1470.007.2	2	lock washer 12
10	2.1470.004.2	4	washer 8

Section: F0 - FRONT AXLE

Ref.: F0.07.0 (1)

4WD - FRONT BRAKES




Fig.	Code	QTY	Name

Notes:
[Agrolux 75 4WD]

66	0.275.4354.0/20	2	gasket 183.6x190.4x3.4
67	0.007.7643.0	2	gasket
69	0.007.7648.0	2	piston
71	0.270.4351.0	2	pressure plate 100x181x2.57
72	0.011.9203.2	2	brake disc
74	2.1530.294.0	2	'o' ring 209.1x3.53
77	0.008.5342.0	2	flange
80	2.1651.817.0	4	pin 10 x 40

HYDRAULIC SYSTEM - FOR 4-WAY DISTRIBUTOR




Fig.	Code	QTY	Name

Notes:
BUCHER [Agrolux 75 2WD] -> 1063 BUCHER [Agrolux 75 4WD] -> 1063

2	2.3339.295.2/10	5	pipe union m 18 p.1.5 x 35
3	2.1560.014.0	15	gasket 18.2 x 24 x 1.5
4	2.3339.235.2	2	pipe fitting M 18 x 1" 1/16-12jic
8	0.015.6155.3/10	1	tube
9	0.015.6154.3	1	tube
27	2.3339.341.2/10	1	pipe fitting m 18 p.1.5

OIL FILTER BRACKET





Fig.	Code	QTY	Name
Notes: [Agrolux 75 2WD] [Agrolux 75 4WD]			
1	0.015.9582.0	1	bracket

HYDRAULIC STEERING GEAR - 4WD

Fig.	Code	QTY	Name
Notes: - DANFOSS [Agrolux 75 4WD]			
1	0.290.6310.4/10	1	hydrosteering DANFOSS - 80 CC ☞ 0.290.6310.4/10



I9_D1063_02_0-A-001

Section: H0 - HYDRAULIC AND PNEUMATIC SYSTEM| Ref.: 0.290.6310.4/10.A

HYDR. STEERING DISTRIBUTOR PARTS




Fig.	Code	QTY	Name
1	0.290.6310.4/10	1	hydrosteering DANFOSS - 80 CC
2	0.000.0000.1	0	not serviceable
3	0.009.4012.1	1	ball mm 8.5
4	0.009.4014.1	1	plug
5	0.193.6378.0	1	bearing
6	0.009.4015.1	1	ring
7	0.009.4016.1	1	pin
8	0.009.4017.1	1	spacer
9	0.000.0000.1	0	not serviceable
10	0.009.4021.1	1	repair seal set
11	0.009.4022.1	1	plate
12	0.009.4872.0	1	rotor w = 10.4
13	0.009.4024.1	1	cover
14	0.009.4025.1	1	pin
15	0.009.4026.1	1	screw L = 63
16	0.009.4027.1	6	screw L = 35
17	0.009.4028.1	1	small disc
18	0.009.4029.1	2	screw
19	0.009.4030.1	1	valve
20	0.290.6374.1	1	spring 110-155 bar
21	0.193.6380.4	2	valve
22	0.009.4019.1	2	ball mm 3.00
23	0.009.4020.1	2	pin
24	0.003.5059.3	1	seal ring kit

Section: H0 - HYDRAULIC AND PNEUMATIC SYSTEM| Ref.: 0.009.2006.4.A

HYDRAULIC DISTRIBUTOR-PARTS





Fig.	Code	QTY	Name
45	0.009.4177.1	1	accessories

FLOW CONTROL VALVE

Fig.	Code	QTY	Name
Notes: [Agrolux 75 4WD]			
1	0.008.8673.4/20	1	valve



I9_J1266_02_0-A-001

Section: E0 - REAR AXLE Ref.: E0.02.5 (1)

REAR REDUCTION GEARS AND AXLE SHAFTS





Fig.	Code	QTY	Name

Notes:
[Agrolux 75 2WD] [Agrolux 75 4WD]

1	0.015.4135.0	1	half-shaft mm 301.5
2	0.015.4144.0	1	half-shaft mm 275.5
3	0.008.5160.0/10	2	bevel ring gear Z = 69
4	2.0139.040.7	2	screw
5	0.008.5605.0	2	washer
6	0.008.5604.0	2	spacer
7	2.1589.106.0	6	snoulder 14.5 x 41 x 1.0
8	2.1589.107.0	2	snoulder 14.5 x 41 x 0.5
9	2.1589.108.0	2	snoulder 14.5 x 41 x 0.2
10	2.1589.109.0	2	snoulder 14.5 x 41 x 0.1
11	0.015.4051.0	2	spider
12	2.1599.712.0	12	snoulder 30.2 x 55 x 1.0
13	0.009.7145.0	6	planet gear Z = 28
14	0.009.7144.0	6	pin
15	2.2999.307.0	6	roller cage 30 x 44 x 52
16	2.1410.041.1	2	circlip Ø 105
17	2.2580.005.9	4	bearing
18	2.1510.331.0	2	oil seal 60x85x10
19	0.015.4052.3/10	2	half-shaft
19.1.2	0.015.4059.0	1	spacer
19.2	0.148.4737.0/20	8	small column m 20x68

Section: R0 - REAR LIFT Ref.: R0.03.1 (1)

FLOW CONTROL VALVE WITH MECHANICAL CONTROL




Notes:
[Agrolux 75 2WD] -> 1002 [Agrolux 75 4WD] -> 1002

Fig.	Code	QTY	Name
42	2.0312.208.2	4	screw m 8 p.1.25 x 25
43	2.1480.014.1	4	washer 8
51	0.009.2388.0/10	1	lever
52	2.1671.307.2	1	pin 8x28
53	2.1690.206.2	1	split pin 2x16
60.1	0.016.3190.3	1	manifold
60.1.5	2.0512.202.7	1	screw m 8 p.1.25 x 8
60.2	0.009.2383.3/60	1	distributor
60.2.4	2.3110.401.1	3	plug m 10 p.1x8
60.2.5	2.1560.005.0	3	gasket 10.2 x 14
60.3	0.9087.452.3/10	1	valve
60.4	2.4019.257.1	2	spring 8.8x25x1.1
60.5	2.1560.011.0	2	gasket 16.2x20
60.6	2.3199.062.2	1	plug m 16 p.1.5
60.7	0.9087.450.0/20	1	stem
60.8	0.009.2387.0/30	1	support
60.9	0.9087.456.0	1	washer
60.10	2.1420.002.0	1	circlip a 8
60.11	0.009.3002.0/10	1	small piston
60.12	2.1531.025.0	3	'o' ring 10.82x1.78
60.13	2.1531.009.0	1	'o' ring 5.28x1.78
60.14	2.1531.033.0	1	'o' ring 13.11x2.62
60.15	0.9087.457.0/10	1	valve
60.16	2.4019.256.1	1	spring 7.8 x 54 x 1.4
60.17	2.1699.155.0	1	pin 5x11.5
60.18	2.4019.258.1	1	spring 7.8x25.5x0.9
60.19	2.4019.487.1	1	spring
60.20	2.3199.061.2	1	plug m 10 p.1
60.21	0.9087.451.0/20	1	small piston
60.25	0.009.3324.0/10	1	small piston
60.26	0.9087.468.0	1	pin
60.27	2.4019.006.1	1	spring 12.2x70x1.2
60.29	2.3261.007.2	1	pipe fitting m 16 p.1.5-9/16"
60.30	2.1470.004.2	3	washer 8
60.31	2.0112.225.2	2	screw m 8 p.1.25 x 80
60.32	2.0112.223.2	1	screw m 8 p.1.25x70
60.33	2.1560.010.0	1	gasket 14.2 x 20 x 1.5
60.34	0.9087.464.3	1	valve
60.35	2.1470.002.2	1	washer 6, d128
60.36	2.0112.021.2	1	screw m 6 p.1 x 60
60.37	2.1569.095.0	1	gasket 10.4x14x1.2

Section: R0 - REAR LIFT Ref.: R0.06.3 (1)

TOWING BAR

Fig.	Code	QTY	Name
Notes:			
[Agrolux 75 2WD] [Agrolux 75 4WD]			
1	0.012.8004.0	1	rod
2	0.010.9322.4	2	pin Ø 11



I9_D1058_10_0-A-001

Section: D0 - TRANSMISSION Ref.: D0.05.0 (1)

GEARBOX INPUT SHAFT




Fig.	Code	QTY	Name
Notes: [Agrolux 75 2WD] [Agrolux 75 4WD]			
1	0.010.1470.0/20	1	shaft (1002 <-)
1	0.010.1470.0/30	1	shaft (-> 1003)
2	2.1555.514.0	2	bushing 25 x 28 x 30
3	2.1599.677.0	1	thrust plate 25x35x2
4	2.1420.010.1	1	circlip a 25
5	2.1529.125.0/10	1	'o' ring 25 x 32 x 7
6	0.010.7696.0	1	sleeve Z = 11
7	2.1421.010.7	1	circlip 25
8	0.014.7435.0	1	shaft (1002 <-)
8	0.016.6402.0	1	shaft (-> 1003)
9	0.007.7790.0	1	spacer

Section: D0 - TRANSMISSION Ref.: D0.08.1 (1)

TRANSMISSION SHAFT




Fig.	Code	QTY	Name
	Notes: - FOR SYNCHRONISED GEARBOX - WITH 10 KPH REVERSE [Agrolux 75 2WD] - FOR SYNCHRONISED GEARBOX - WITH 10 KPH REVERSE [Agrolux 75 4WD]		
7	2.1419.092.0	6	circlip
21	0.008.5724.0/20	1	flange
22	2.1599.768.0	2	ring
23	2.1559.313.0/10	1	sleeve 42x50x19.5
24	2.2042.014.9	2	ball bearing 50 x 90 x 20
25	2.1499.123.1/10	2	circlip 86 x 2.46
26	0.010.1060.0	1	hub Z = 20
27	0.010.1059.0	1	hub Z = 20
28	0.010.1018.0/10	1	gear Z = 57
29	0.008.0251.0	0.8	shim 39 x 64 x 2.65
30	0.010.5558.0	1	gear z=39
31	0.010.5559.0	1	gear z=33
32	0.010.5556.0	1	gear Z = 59
33	0.010.5557.0	1	gear Z = 49
34	2.1410.020.1	1	circlip 50
35	0.010.5555.0	1	shaft
36	2.2999.173.0	1	roller cage 23 x 35 x 16.2
37	2.1423.026.7	1	circlip 35 x 1.5
56	0.009.6825.4	2	lock synchronizer 62 ☞ 0.009.6825.4
57	2.1422.029.7	4	circlip 40 x 1.5
60	0.010.0629.0	0.8	shim 39 x 64 x 2.85
61	0.010.0630.0	0.8	shim 39 x 64 x 3.05
62	0.010.0631.0	0.8	shim 39 x 64 x 3.25
63	0.010.0632.0	0.8	shim 39 x 64 x 3.45

Section: D0 - TRANSMISSION Ref.: D0.09.3 (1)

GEARBOX UPPER COVER




Fig.	Code	QTY	Name

Notes:
- FOR TYPES WITHOUT REAR CONTROL VALVE [Agrolux 75 2WD] - FOR TYPES WITHOUT REAR CONTROL VALVE [Agrolux 75 4WD]

1	0.010.1403.2/10	1	cover
2	2.0112.307.2	8	screw m 10 p.1.5 x 20
3	2.1470.006.2	8	lock washer 10

Section: D0 - TRANSMISSION Ref.: D0.10.8 (1)

INTERNAL CONTROLS




Fig.	Code	QTY	Name

Notes:
- FOR NON SYNCHRONISED GEARBOX - WITH 10 KPH REVERSE [Agrolux 75 2WD] - FOR NON SYNCHRONISED GEARBOX - WITH 10 KPH REVERSE [Agrolux 75 4WD]

41	2.0399.206.2	2	screw m 12 p.1.75 x 56.5
42	2.3199.238.2	1	plug m 10
43	2.1560.005.0	1	gasket 10.2 x 14
44	2.4019.670.1	1	spring 5 x 8 x 1.5 x 22.5
45	2.2810.004.0	1	ball 5/16"
46	2.0399.019.1	1	screw m 8 p.1 x 16
47	0.008.5226.0/20	1	hub
48	0.008.5130.0/70	1	rod
49	0.008.5994.0/10	3	pin
50	2.0399.286.0/10	2	grain m 8 p.1.25 x 28
51	0.014.6201.0	1	fork
52	0.008.5198.0/40	1	hub
53	0.014.6202.0	1	fork
54	0.010.4945.0	1	sleeve
55	0.014.6203.0/10	1	fork
56	2.1560.008.0	2	gasket 12.2 x 18

Section: D0 - TRANSMISSION Ref.: D0.11.7 (1)

2-RANGE BOX - 2WD




Fig.	Code	QTY	Name

Notes:
[Agrolux 75 2WD]

1	2.2999.026.0	2	roller cage 35 x 45 x 20
2	2.1549.137.0	1	spacer 38.8 x 44.8 x 45.3
3	0.010.0998.0	1	gear Z= 43 - 24 m3.25
4	2.1423.034.7	1	circlip 45 x 1.5
5	2.1599.610.0	1	snoulder 35 x 60 x 3.5
6	2.1419.067.0	3	circlip 35 x 1.5
7	0.013.5058.0	1	gear z = 41 z = 17
8	2.1419.066.0	2	circlip 30
9	2.1549.054.0/10	1	spacer 29.7 x 45 x 4.5
10	2.2060.011.9	1	bearing 35 x 80 x 21
11	0.012.8145.0/10	1	shaft
12	2.2040.009.9	1	bearing 30 x 62 x 16
13	2.1599.612.0/10	1	shoulder 30.1 x 40 x 3

Section: D0 - TRANSMISSION Ref.: D0.14.5 (1)

P.T.O. - 2 SPEED TYPE - FIXED END SHAFT 540/750




Fig.	Code	QTY	Name
Notes:			
[Agrolux 75 2WD] [Agrolux 75 4WD]			
1	0.012.0098.0/30	1	shaft
2	2.1599.421.0	1	snoulder 35 x 45 x 3.0
3	2.1412.013.7	1	ring Ø 35
4	0.154.3655.0/10	1	guard
5	0.008.5181.3/30	1	complete cover
6	2.0422.203.7	9	stud bolt m 8 p.1.25 x 20
7	2.1470.004.2	9	washer 8
8	2.1011.105.2	9	nut m 8 p.1.25
9	2.1599.792.0	1	shoulder
10	2.1539.025.0/10	1	'o' ring 88.57 x 2.62


Section: D0 - TRANSMISSION Ref.: D0.20.1 (1)

REVERSE GEAR INTERMEDIATE SHAFT

Fig.	Code	QTY	Name

Notes:
- FOR NON SYNCHRONISED GEARBOX - WITH 30 KPH REVERSE [Agrolux 75 2WD] - FOR NON SYNCHRONISED GEARBOX - WITH 30 KPH REVERSE [Agrolux 75 4WD]

15	2.3179.016.0	1	expansion plug Ø 72
16	2.1410.012.1	2	circlip 30
17	2.2063.009.9	1	ball bearing 30 x 72 x 19
18	2.1499.249.1	2	circlip
19	0.015.7306.0	1	gear z=35 z=29
20	0.010.0999.0	1	shaft
57	2.2060.009.9	1	bearing 30 x 72 x 19



I9_J1233_00_0-D-001

Section: S0 - WHEELS Ref.: S0.02.0 (1)

REAR WHEEL BOLTS





Fig.	Code	QTY	Name
Notes: [Agrolux 75 2WD] [Agrolux 75 4WD]			
1	2.0399.129.6	16	screw m 18 p.1.5 x 38
2	2.1599.501.6/10	16	washer 19 x 40 x 7.5

Section: S0 - WHEELS

Ref.: S0.04.3 (1)

WHEELS 250/85R20"(9.5R20")



I9_J1255_20_0-A-001

Fig.	Code	QTY	Name
Notes: [Agrolux 75 4WD]			
1.1	0.012.2835.3	1	rim W 8x20" C/ST
1.2	0.010.4301.0	1	rim center flange
1.3	2.0099.005.6	6	screw m 16 p.1.5 x 38
1.4	2.1499.019.6	6	washer 16.3 x 31.5
1.5	2.1019.059.6	6	nut m 16 p.1.5 x 16
2	2.4811.068.0	2	tyre 250/85R20"(9.5R20")
3	2.4820.023.0	2	air chamber

Section: S0 - WHEELS Ref.: S0.04.15 (1)

WHEELS 340/85R28"(13.6R28")




Fig.	Code	QTY	Name
Notes:			
[Agrolux 75 2WD] [Agrolux 75 4WD]			
1.1	0.012.2912.3	1	rim W 12x28" C/ST.
1.2	0.258.5551.0	1	rim center flange
1.3	2.0399.030.6	6	screw m 18 p.1.5 x 45
1.4	2.1499.018.6	6	conical washer 18 x 35.5
1.5	2.1011.310.6	6	nut m 18 p.1.5
2	2.4811.047.0	2	tyre 340/85R28"(13.6R28")
3	0.012.6364.0	2	valve

CLICK HERE TO DOWNLOAD THE COMPLETE MANUAL

- Thank you very much for reading the preview of the manual.
- You can download the complete manual from: www.heydownloads.com by clicking the link below



- Please note: If there is no response to CLICKING the link, please download this PDF first and then click on it.

CLICK HERE TO DOWNLOAD THE COMPLETE MANUAL